

Safety Data Sheet

CHINOOK



Safety Data Sheet dated 4/11/2022, version 3.0

This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: CHINOOK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Indoor Units Filter Cleaner

1.3. Details of the supplier of the safety data sheet

Company:

ERRECOM SPA

Via Industriale, 14

Corzano (BS) Italy

Tel. +39 030/9719096

Competent person responsible for the safety data sheet:

lab@errecom.it

1.4. Emergency telephone number

+39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Contains

1,2-benzisothiazolin-3-one: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances







N.A.

3.2. Mixtures

CHINOOK/3.0

Page n. 1 of 10

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 2.5% - < 5%	propan-2-ol	Index number: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH No.: 01-21194575 58-25-XXXX	 2.6/2 Flam. Liq. 2 H225  3.3/2 Eye Irrit. 2 H319  3.8/3 STOT SE 3 H336
>= 0.01% - < 0.05%	1,2-benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 REACH No.: 01-21207615 40-60-XXXX	 3.4.2/1A Skin Sens. 1A H317  4.1/A1 Aquatic Acute 1 H400  3.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C >= 0,05%: Skin Sens. 1,1A,1B H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
For non emergency personnel:
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
For emergency responders:
Wear personal protection equipment.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Advice on general occupational hygiene:
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Store in a cool and well ventilated place.
Store away from direct sunlight.
Store the product between + 0 °C / + 32 °F and + 40 °C / + 104 °F.
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
Information not available.

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
propan-2-ol - CAS: 67-63-0
ACGIH - TWA: 200 ppm - STEL: 400 ppm
MAK - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm
VLA - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm
VLEP - STEL(15min): 980 mg/m³, 400 ppm
WEL - TWA(8h): 999 mg/m³, 400 ppm - STEL(15min): 1250 mg/m³, 500 ppm
TLV - TWA(8h): 980 mg/m³, 400 ppm - STEL(15min): 1225 mg/m³, 500 ppm
NDS - TWA(8h): 900 mg/m³ - STEL(15min): 1200 mg/m³
NPHV - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³
MV - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 2000 mg/m³, 800 ppm
GVI - TWA(8h): 999 mg/m³, 400 ppm - STEL(15min): 1250 mg/m³, 500 ppm
TLV (CZ) - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm
TLV (EST) - TWA(8h): 350 mg/m³, 150 ppm - STEL(15min): 600 mg/m³, 250 ppm
- DNEL Exposure Limit Values
propan-2-ol - CAS: 67-63-0

Safety Data Sheet

CHINOOK



Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 500 mg/m³ - Consumer: 89 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 888 mg/kg - Consumer: 319 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Worker Professional: 1 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

propan-2-ol - CAS: 67-63-0

Target: Fresh Water - Value: 140.9 mg/L

Target: Marine water - Value: 140.9 mg/L

Target: Freshwater sediments - Value: 552 mg/kg

Target: Aquatic, periodic release - Value: 140.9 mg/L

Target: Microorganisms in sewage treatments - Value: 2251 mg/L

Target: Marine water sediments - Value: 552 mg/kg

Target: Soil (agricultural) - Value: 28 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Light blue	--	--
Odour:	characteristic perfumed	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--

Safety Data Sheet

CHINOOK



pH:	9	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	total	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	0.99 g/mL (+20°C/+68°F)	ASTM-D4052	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

- g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
- h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
- j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

propan-2-ol - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 4710 mg/kg

Test: LD50 - Route: Skin - Species: Rat 12800 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat 72.6 mg/L - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit 6290 mg/kg

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 670 mg/kg - Notes: OECD TG 401

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Notes: OECD TG 402

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Duration: 4h - Notes: US-EPA

c) serious eye damage/irritation:

Test: Eye Corrosive - Route: Eyes - Species: Rabbit Positive - Notes: OECD TG 405

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: Human beings Positive

e) germ cell mutagenicity:

Test: Mutagenesis - Route: In vitro - Species: Salmonella Typhimurium Negative - Notes: OECD TG 471

Test: chromosomal aberration test - Route: In vitro - Species: Human lymphocytes Negative - Notes: OECD TG 473; with Metabolic activation

Test: Mutagenesis - Route: In vitro - Species: murine lymphoma cells Negative - Notes: OECD TG 476

Test: Micronucleus test - Route: In vivo - Species: Mouse Negative - Notes: OECD TG 474; Cell type: Bone marrow; Oral; Doses: 1200 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration \geq 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Not classified for environmental hazards

Based on available data, the classification criteria are not met

propan-2-ol

a) Aquatic acute toxicity:

Endpoint: EC0 - Species: Fish 10000 mg/L - Duration h: 48 - Notes: Pimephales promelas

Endpoint: LC50 - Species: Fish > 1400 mg/L - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: LC50 - Species: Fish 6550 mg/L - Duration h: 96 - Notes: Pimephales promelas

1,2-benzisothiazolin-3-one

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2.18 mg/L - Duration h: 96 - Notes: Species: Oncorhynchus mykiss; Method: OECD TG 203

Endpoint: EC50 - Species: Daphnia 2.94 mg/L - Duration h: 48 - Notes: Species: Daphnia magna; Method: OECD TG 202

Endpoint: ErC50 - Species: Algae 0.11 mg/L - Duration h: 72 - Notes: Species: Pseudokirchneriella subcapitata; Method: OECD TG 201

Endpoint: ErC50 - Species: Algae 0.15 mg/L - Duration h: 72 - Notes: Species: Selenastrum capricornutum; Test type: Growth inhibitor

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish 0.3 mg/L - Duration h: 672 - Notes: Species: Oncorhynchus mykiss; Test type: Growth inhibitor

Endpoint: NOEC - Species: Daphnia 1.7 mg/L - Duration h: 504 - Notes: Species: Daphnia magna; Method: OECD TG 211

d) Terrestrial toxicity:

Endpoint: LC50 - Species: earthworms > 410.6 mg/kg - Duration h: 336 - Notes: Species: Eisenia fetida; Method: OECD TG 207

Endpoint: NOEC - Species: Microflora of the soil 263.7 mg/kg - Duration h: 672 - Notes: OECD TG 216

12.2. Persistence and degradability

propan-2-ol - CAS: 67-63-0

Biodegradability: Readily biodegradable

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Biodegradability: Readily biodegradable - Duration: 28 d - %: 70

12.3. Bioaccumulative potential

propan-2-ol - CAS: 67-63-0

Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.05

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration \geq 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
 - ADR-Environmental Pollutant: No
 - IMDG-Marine pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) n. 2020/878
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)
 - Regulation (EU) n. 618/2012 (ATP 3 CLP)
 - Regulation (EU) n. 487/2013 (ATP 4 CLP)
 - Regulation (EU) n. 944/2013 (ATP 5 CLP)
 - Regulation (EU) n. 605/2014 (ATP 6 CLP)
 - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 - Regulation (EU) n. 2016/918 (ATP 8 CLP)
 - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 - Regulation (EU) n. 2017/776 (ATP 10 CLP)
 - Regulation (EU) n. 2018/669 (ATP 11 CLP)
 - Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 - Regulation (EU) n. 2019/521 (ATP 12 CLP)
 - Regulation (EU) n. 2020/217 (ATP 14 CLP)
 - Regulation (EU) n. 2020/1182 (ATP 15 CLP)
 - Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

 - Restrictions related to the product:
 - Restriction 40
 - Restrictions related to the substances contained:
 - Restriction 75

Where applicable, refer to the following regulatory provisions :

 - Directive 2012/18/EU (Seveso III)
 - Regulation (EC) nr 648/2004 (detergents).
 - Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

 - Seveso III category according to Annex 1, part 1
 - None
- 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.

Safety Data Sheet

CHINOOK



INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.