

Safety Data Sheet

CLENCH



Safety Data Sheet dated 24/11/2022, version 7.0

This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: CLENCH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Evaporator Cleaner with Anticorrosion Power

1.3. Details of the supplier of the safety data sheet

Company:

ERRECOM SPA

Via Industriale, 14

Corzano (BS) Italy

Tel. +39 030/9719096

Competent person responsible for the safety data sheet:

lab@errecom.it

1.4. Emergency telephone number

+39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Warning, Skin Irrit. 2, Causes skin irritation.



Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special Provisions:

None

Contains

methenamine: May produce an allergic reaction.

1,2-benzisothiazolin-3-one: May produce an allergic reaction.

Safety Data Sheet

CLENCH



Special provisions according to Annex XVII of REACH and subsequent amendments:
None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 1\%$ - $< 3\%$	2-(2-butoxyethoxy)ethanol	Index number: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 REACH No.: 01-21194751 04-44-XXXX	3.3/2 Eye Irrit. 2 H319
$\geq 0.5\%$ - $< 1.5\%$	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	EC: 939-625-7 REACH No.: 01-21199851 68-23-XXXX	3.1/4/Oral Acute Tox. 4 H302 3.3/2 Eye Irrit. 2 H319 3.2/2 Skin Irrit. 2 H315
$\geq 0.5\%$ - $< 1.5\%$	potassium hydroxide	Index number: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 REACH No.: 01-21194871 36-33-XXXX	2.16/1 Met. Corr. 1 H290 3.2/1A Skin Corr. 1A H314 3.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C $\geq 5\%$: Skin Corr. 1A H314 2% \leq C $< 5\%$: Skin Corr. 1B H314 0,5% \leq C $< 2\%$: Skin Irrit. 2 H315 0,5% \leq C $< 2\%$: Eye Irrit. 2 H319
$\geq 0.25\%$ - $< 0.5\%$	sodium hydroxide	Index number: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 REACH No.: 01-21194578 92-27-XXXX	2.16/1 Met. Corr. 1 H290 3.2/1A Skin Corr. 1A H314 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C $\geq 5\%$: Skin Corr. 1A H314 2% \leq C $< 5\%$: Skin Corr. 1B H314 0,5% \leq C $< 2\%$: Skin Irrit. 2 H315 0,5% \leq C $< 2\%$: Eye Irrit. 2 H319
$\geq 0.1\%$ - $< 0.25\%$	methenamine	Index number: 612-101-00-2 CAS: 100-97-0 EC: 202-905-8 REACH No.: 01-21194748 95-20-XXXX	2.7/2 Flam. Sol. 2 H228 3.4.2/1 Skin Sens. 1 H317
$\geq 0.05\%$ -	propan-2-ol	Index number: 603-117-00-0	2.6/2 Flam. Liq. 2 H225

Safety Data Sheet

CLENCH



< 0.1%		CAS: 67-63-0 EC: 200-661-7 REACH No.: 01-21194575 58-25-XXXX	3.3/2 Eye Irrit. 2 H319 3.8/3 STOT SE 3 H336
>= 0.01% - < 0.05%	1,2-benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 REACH No.: 01-21207615 40-60-XXXX	3.4.2/1A Skin Sens. 1A H317 4.1/A1 Aquatic Acute 1 H400 3.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C >= 0,05%: Skin Sens. 1,1A,1B H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash immediately with plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

CLENCH



For non emergency personnel:
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
For emergency responders:
Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store the product between + 0 °C / + 32 °F and + 40 °C / + 104 °F.
Keep away from food, drink and feed.

Incompatible materials:

See subsection 10.5

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Information not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol - CAS: 112-34-5

EU - TWA(8h): 67.5 mg/m³, 10 ppm - STEL: 101.2 mg/m³, 15 ppm

ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff

potassium hydroxide - CAS: 1310-58-3

ACGIH - STEL: Ceiling 2 mg/m³ - Notes: URT, eye, and skin irr

sodium hydroxide - CAS: 1310-73-2

ACGIH - STEL: Ceiling 2 mg/m³ - Notes: URT, eye, and skin irr

methenamine - CAS: 100-97-0

ACGIH - TWA(8h): 1 mg/m³ - Notes: (IFV), DSEN; A4 - Dermal sens

propan-2-ol - CAS: 67-63-0

ACGIH - TWA: 200 ppm - STEL: 400 ppm

MAK - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm

VLA - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm

VLEP - STEL(15min): 980 mg/m³, 400 ppm

WEL - TWA(8h): 999 mg/m³, 400 ppm - STEL(15min): 1250 mg/m³, 500 ppm

Safety Data Sheet

CLENCH



TLV - TWA(8h): 980 mg/m³, 400 ppm - STEL(15min): 1225 mg/m³, 500 ppm
NDS - TWA(8h): 900 mg/m³ - STEL(15min): 1200 mg/m³
NPHV - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³
MV - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 2000 mg/m³, 800 ppm
GVI - TWA(8h): 999 mg/m³, 400 ppm - STEL(15min): 1250 mg/m³, 500 ppm
TLV (CZ) - TWA(8h): 500 mg/m³, 200 ppm - STEL(15min): 1000 mg/m³, 400 ppm
TLV (EST) - TWA(8h): 350 mg/m³, 150 ppm - STEL(15min): 600 mg/m³, 250 ppm

DNEL Exposure Limit Values

potassium hydroxide - CAS: 1310-58-3

Worker Professional: 1 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, local effects

sodium hydroxide - CAS: 1310-73-2

Worker Professional: 1 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, local effects

methenamine - CAS: 100-97-0

Worker Professional: 6.4 mg/kg - Consumer: 3.2 mg/kg - Exposure: Human Dermal -
Frequency: Short Term (acute)

Worker Professional: 6.4 mg/kg - Consumer: 3.2 mg/kg - Exposure: Human Dermal -
Frequency: Long Term (repeated)

Worker Professional: 5.6 mg/m³ - Consumer: 1.2 mg/m³ - Exposure: Human Inhalation
Consumer: 0.8 mg/kg - Exposure: Human Oral

propan-2-ol - CAS: 67-63-0

Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic
effects

Worker Industry: 500 mg/m³ - Consumer: 89 mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, systemic effects

Worker Industry: 888 mg/kg - Consumer: 319 mg/kg - Exposure: Human Dermal -
Frequency: Long Term, systemic effects

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Worker Professional: 1 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, local effects

PNEC Exposure Limit Values

methenamine - CAS: 100-97-0

Target: Fresh Water - Value: 3 mg/L

Target: Marine water - Value: 0.3 mg/L

Target: Microorganisms in sewage treatments - Value: 100 mg/L

Target: Freshwater sediments - Value: 1.02 mg/kg

Target: Marine water sediments - Value: 1.02 mg/kg

Target: Soil (agricultural) - Value: 0.28 mg/kg

propan-2-ol - CAS: 67-63-0

Target: Fresh Water - Value: 140.9 mg/L

Target: Marine water - Value: 140.9 mg/L

Target: Freshwater sediments - Value: 552 mg/kg

Target: Aquatic, periodic release - Value: 140.9 mg/L

Target: Microorganisms in sewage treatments - Value: 2251 mg/L

Target: Marine water sediments - Value: 552 mg/kg

Target: Soil (agricultural) - Value: 28 mg/kg

8.2. Exposure controls

Eye protection:

Use close safety visors, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or
viton.

Protection for hands:

work gloves resistant to penetration (ref. standard EN 374).

Safety Data Sheet

CLENCH



Suitable gloves type:

NBR (nitrile rubber).

Material thickness: 0.7 mm minimum.

Break through time : > 480 min

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Yellow	--	--
Odour:	characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	13.5	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	total	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.03 g/mL (+20°C/+68°F)	ASTM-D4052	--
Relative vapour density:	N.A.	--	--

Particle characteristics:

Particle size:	N.A.	--	--
----------------	------	----	----

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

CLENCH/7.0

Page n. 6 of 13

Safety Data Sheet

CLENCH



- Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
 - None
- 10.4. Conditions to avoid
 - Stable under normal conditions.
- 10.5. Incompatible materials
 - Strong acids.
- 10.6. Hazardous decomposition products
 - No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- a) acute toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
 - The product is classified: Skin Irrit. 2 H315
- c) serious eye damage/irritation
 - The product is classified: Eye Irrit. 2 H319
- d) respiratory or skin sensitisation
 - Not classified
 - Based on available data, the classification criteria are not met
- e) germ cell mutagenicity
 - Not classified
 - Based on available data, the classification criteria are not met
- f) carcinogenicity
 - Not classified
 - Based on available data, the classification criteria are not met
- g) reproductive toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
- h) STOT-single exposure
 - Not classified
 - Based on available data, the classification criteria are not met
- i) STOT-repeated exposure
 - Not classified
 - Based on available data, the classification criteria are not met
- j) aspiration hazard
 - Not classified
 - Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

- potassium hydroxide - CAS: 1310-58-3
 - a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 333 mg/kg - Notes: OCSE 425
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitization - Route: Skin Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis - Species: Escherichia Coli Negative
- sodium hydroxide - CAS: 1310-73-2
 - b) skin corrosion/irritation:
 - Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive

Safety Data Sheet

CLENCH



- c) serious eye damage/irritation:
 - Test: Eye Irritant - Species: Rabbit Positive - Source: OECD TG 405
 - d) respiratory or skin sensitisation:
 - Test: Respiratory Sensitization - Route: In vitro Negative - Notes: ECHA
 - Test: Skin Sensitization - Route: In vitro Negative - Notes: ECHA
 - e) germ cell mutagenicity:
 - Test: Ames test - Species: Salmonella Typhimurium Negative
- methenamine - CAS: 100-97-0
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 20000 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: OECD 402
 - b) skin corrosion/irritation:
 - Test: Skin Irritant - Species: Rabbit Negative - Source: OECD 405
 - c) serious eye damage/irritation:
 - Test: Eye Irritant - Species: Rabbit Negative - Source: OECD 405
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitization - Route: Skin - Species: Guinea pig Positive - Source: OECD 406
 - e) germ cell mutagenicity:
 - Test: Bacterial reverse mutation test - Species: Salmonella Typhimurium Negative - Source: OECD 471
 - f) carcinogenicity:
 - Test: Carcinogenicity Negative
 - g) reproductive toxicity:
 - Test: LOAEL - Species: Rat - Notes: ≥ 1500 - ≤ 2500 mg/kg bw/day (F2 - nominal)
- propan-2-ol - CAS: 67-63-0
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat 4710 mg/kg
 - Test: LD50 - Route: Skin - Species: Rat 12800 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat 72.6 mg/L - Duration: 4h
 - Test: LD50 - Route: Skin - Species: Rabbit 6290 mg/kg
- 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat 670 mg/kg - Notes: OECD TG 401
 - Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Notes: OECD TG 402
 - b) skin corrosion/irritation:
 - Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Duration: 4h - Notes: US-EPA
 - c) serious eye damage/irritation:
 - Test: Eye Corrosive - Route: Eyes - Species: Rabbit Positive - Notes: OECD TG 405
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitization - Route: Skin - Species: Human beings Positive
 - e) germ cell mutagenicity:
 - Test: Mutagenesis - Route: In vitro - Species: Salmonella Typhimurium Negative - Notes: OECD TG 471
 - Test: chromosomal aberration test - Route: In vitro - Species: Human lymphocytes Negative - Notes: OECD TG 473; with Metabolic activation
 - Test: Mutagenesis - Route: In vitro - Species: murine lymphoma cells Negative - Notes: OECD TG 476
 - Test: Micronucleus test - Route: In vivo - Species: Mouse Negative - Notes: OECD TG 474; Cell type: Bone marrow; Oral; Doses: 1200 mg/kg
- 2-(2-butoxyethoxy)ethanol - CAS: 112-34-5
- LD50 (RAT) ORAL: 6560 MG/KG
 - LD50 (RABBIT) SKIN: 4120 MG/KG

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Not classified for environmental hazards

Based on available data, the classification criteria are not met

potassium hydroxide

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 80 mg/L - Duration h: 96 - Notes: Species: *Gambusia affinis*

Endpoint: LC50 - Species: Microorganisms = 80 mg/L - Duration h: 24

sodium hydroxide

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 189 mg/L - Duration h: 48

Endpoint: EC0 - Species: *Daphnia* = 40.4 mg/L - Duration h: 48 - Notes: Species: *Ceriodaphnia dubia*

Endpoint: LC50 - Species: Fish 125 mg/L - Duration h: 96 - Notes: Species: *Gambusia affinis*

Endpoint: LC50 - Species: Fish 45.4 mg/L - Duration h: 96 - Notes: Species: *Oncorhynchus mykiss*

c) Bacteria toxicity:

Endpoint: EC50 - Species: Bacteria 22 mg/L - Duration h: 0.25 - Notes: Species: *Photobacterium phosphoreum*

methenamine

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 41 mg/L - Duration h: 96 - Notes: Species: *Lepomis macrochirus* EPA-660/3-75-00 p. 61

Endpoint: EC50 - Species: *Daphnia magna* ASTM 36 mg/L - Duration h: 48 - Notes: Species: *Daphnia magna* ASTM

e) Plant toxicity:

Endpoint: EC50 - Species: Algae 3 mg/L - Duration h: 504 - Notes: Species: *Selenastrum capricornutum* (Algal assay procedure: bottle test. US EPA)

propan-2-ol

a) Aquatic acute toxicity:

Endpoint: EC0 - Species: Fish 10000 mg/L - Duration h: 48 - Notes: *Pimephales promelas*

Endpoint: LC50 - Species: Fish > 1400 mg/L - Duration h: 96 - Notes: *Lepomis macrochirus*

Endpoint: LC50 - Species: Fish 6550 mg/L - Duration h: 96 - Notes: *Pimephales promelas*

1,2-benzisothiazolin-3-one

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2.18 mg/L - Duration h: 96 - Notes: Species: *Oncorhynchus mykiss*; Method: OECD TG 203

Endpoint: EC50 - Species: *Daphnia magna* 2.94 mg/L - Duration h: 48 - Notes: Species: *Daphnia magna*; Method: OECD TG 202

Endpoint: ErC50 - Species: Algae 0.11 mg/L - Duration h: 72 - Notes: Species: *Pseudokirchneriella subcapitata*; Method: OECD TG 201

Endpoint: ErC50 - Species: Algae 0.15 mg/L - Duration h: 72 - Notes: Species: *Selenastrum capricornutum*; Test type: Growth inhibitor

- b) Aquatic chronic toxicity:
 - Endpoint: NOEC - Species: Fish 0.3 mg/L - Duration h: 672 - Notes: Species: Oncorhynchus mykiss; Test type: Growth inhibitor
 - Endpoint: NOEC - Species: Daphnia 1.7 mg/L - Duration h: 504 - Notes: Species: Daphnia magna; Method: OECD TG 211
- d) Terrestrial toxicity:
 - Endpoint: LC50 - Species: earthworms > 410.6 mg/kg - Duration h: 336 - Notes: Species: Eisenia fetida; Method: OECD TG 207
 - Endpoint: NOEC - Species: Microflora of the soil 263.7 mg/kg - Duration h: 672 - Notes: OECD TG 216
- 12.2. Persistence and degradability
 - methenamine - CAS: 100-97-0
 - Biodegradability: Readily biodegradable - Test: Die-Away Test - Notes: OECD 301A
 - propan-2-ol - CAS: 67-63-0
 - Biodegradability: Readily biodegradable
 - 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - Biodegradability: Readily biodegradable - Duration: 28 d - %: 70
- 12.3. Bioaccumulative potential
 - propan-2-ol - CAS: 67-63-0
 - Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.05
 - 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - Bioaccumulation: Not bioaccumulative
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
 - None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es)
 - N.A.
- 14.4. Packing group
 - N.A.
- 14.5. Environmental hazards
 - ADR-Environmental Pollutant: No
 - IMDG-Marine pollutant: No
- 14.6. Special precautions for user
 - N.A.
- 14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 55

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Safety Data Sheet

CLENCH



H228 Flammable solid.
H317 May cause an allergic skin reaction.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Sol. 2	2.7/2	Flammable solid, Category 2
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.

Safety Data Sheet

CLENCH



DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.