

Safety Data Sheet dated 13/5/2022, version 6.0 This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification: Trade name:

ALPHA FLUSH

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:
Flushing fluid for A/C systems
1.3. Details of the supplier of the safety data sheet Company: ERRECOM SPA Via Industriale, 14 Corzano (BS) Italy Tel. +39 030/9719096
Competent person responsible for the safety data sheet: Iab@errecom.it
1.4. Emergency telephone number +39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Warning, Skin Sens. 1, May cause an allergic skin reaction.



Warning, Carc. 2, Suspected of causing cancer.

Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P201 Obtain special instructions before use. P261 Avoid breathing vapours.

ALPHA FLUSH/6.0 Page n. 1 of 11



P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

Special Provisions:

None

Contains

Hydrocarbons C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics tetrachloroethylene

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 90%	Hydrocarbons C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics	Index number: EC: REACH No.:	649-327-00-6 918-481-9 01-21194572 73-39-XXXX	3.10/1 Asp. Tox. 1 H304 EUH066
>= 2.5% - < 5%	tetrachloroethylene	Index number: CAS: EC: REACH No.:	602-028-00-4 127-18-4 204-825-9 01-21194753 29-28-XXXX	 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 3.8/3 STOT SE 3 H336 3.4.2/1 Skin Sens. 1 H317 3.6/2 Carc. 2 H351 4.1/C2 Aquatic Chronic 2 H411

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Wash contaminated clothing before using them.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do NOT induce vomiting.

Call a doctor immediately. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person and if indicated by the doctor.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

ALPHA FLUSH/6.0 Page n. 2 of 11



For symptoms and effects caused by substances, see section 11.

 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).
 - Foam fire extinguisher.
 - Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture Burning produces heavy smoke.

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - For non emergency personnel: Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders: Wear personal protection equipment.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up

Vacuum the spilled product into a suitable container. Assess the compatibility of the container to be used with the product, verifying section 10. Absorb the remainder with inert absorbent material.

Ensure adequate ventilation of the place affected by the loss.

- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and open flames, do not smoke, use matches or lighters. Without adequate ventilation, the vapors may accumulate on the ground and ignite at a distance, if triggered off with the risk of flashback. Avoid the accumulation of electrostatic charges.

Avoid dispersal into the environment.

ALPHA FLUSH/6.0 Page n. 3 of 11



Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities
 - Store in a cool and well ventilated place.
 - Store only in the original container. Keep away from food, drink and feed.

 - Incompatible materials: See subsection 10.5
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s) Information not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrocarbons C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics - Index number: 649-327-00-6

RCP-TWA - TWA(8h): 1200 mg/m3, 184 ppm - STEL(15min): 600 mg/m3, 100 ppm tetrachloroethylene - CAS: 127-18-4

ACGIH - TWA(8h): 25 ppm - STEL: 100 ppm - Notes: A3, BEI - CNS impair AGW - TWA(8h): 69 mg/m3, 10 ppm - STEL(15min): 138 mg/m3, 20 ppm - Notes: Skin

VLA - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm - Notes: Skin

VLEP - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm WEL - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm - Notes: Skin

TLV (GR) - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm -Notes: Skin

NDS - TWA(8h): 85 mg/m3 - STEL(15min): 170 mg/m3 - Notes: Skin NGV/KGV - TWA(8h): 70 mg/m3, 10 ppm - STEL(15min): 170 mg/m3, 25 ppm -Notes: Skin

GVI/KGVI - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm -Notes: Skin

EU - TWA(8h): 138 mg/m3, 20 ppm - STEL: 275 mg/m3, 40 ppm - Notes: Skin TLV (BG) - TWA(8h): 138 mg/m3, 20 ppm - STEL(15min): 275 mg/m3, 40 ppm -Notes: Skin

TLV (CZ) - TWA(8h): 138 mg/m3, 20.01 ppm - STEL(15min): 275 mg/m3, 39.875 ppm - Notes: Skin

AK - TWA(8h): 138 mg/m3 - STEL(15min): 275 mg/m3 - Notes: Skin

DNEL Exposure Limit Values

tetrachloroethylene - CAS: 127-18-4

Consumer: 138 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Professional: 275 mg/m³ - Consumer: 138 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 275 mg/m³ - Consumer: 138 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

ALPHA FLUSH/6.0



Consumer: 1.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 39.4 mg/kg - Consumer: 23 mg/kg - Exposure: Human Dermal -Frequency: Long Term. systemic effects Worker Professional: 138 mg/m³ - Consumer: 34.5 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects PNEC Exposure Limit Values tetrachloroethylene - CAS: 127-18-4 Target: Soil (agricultural) - Value: 0.01 mg/kg Target: Fresh Water - Value: 0.051 mg/L Target: Marine water - Value: 0.0051 mg/L Target: Marine water sediments - Value: 0.0903 mg/kg Target: Microorganisms in sewage treatments - Value: 11.2 mg/L Target: Aquatic, periodic release - Value: 0.0364 mg/L 8.2. Exposure controls Eye protection: Protective airtight goggles (ref. Standard EN 166). Protection for skin: Full protection suit. Protection for hands: Suitable material: PVA (Polyvinyl alcohol). Butyl caoutchouc (butyl rubber). FKM (fluoro rubber). Material thickness: minimum 0.12 mm. Break through time : > 480 min Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Respiratory protection: In the case of vapour formation use a respirator with an approved filter. Mask with filter "AX", brown colour Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Colourless		
Odour:	characteristic		
Melting point/freezing	N.A.		
point:			
Boiling point or initial	N.A.		
boiling point and boiling			
range:			
Flammability:	N.A.		
Lower and upper explosion	N.A.		
limit:			
Flash point:	64 ° C		
Auto-ignition temperature:	N.A.		

ALPHA FLUSH/6.0 Page n. 5 of 11



Decomposition	N.A.		
temperature:			
pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
n-octanol/water (log value):			
Vapour pressure:	N.A.		
Density and/or relative	0.78 g/mL		
density:	(+20°C/+68°F		
)		
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

Tetrachloroethylene is noncombustible, but above 150 $^{\circ}$ C / 302 $^{\circ}$ F, decomposes. The decomposition also takes place by the action of UV rays and moisture.

- 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions

Vapors may form explosive mixtures with air.

10.4. Conditions to avoid

Avoid overheating, electrostatic discharge and all sources of ignition.

- 10.5. Incompatible materials Strong oxidizing agents.
- 10.6. Hazardous decomposition products

When heated or in the event of fire may release gases and vapors potentially dangerous to health.

Hydrogen chloride, phosgene, chlorine, tetrachloroethane, other toxic chlorine compounds.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

- a) acute toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
 - Not classified

Based on available data, the classification criteria are not met

- c) serious eye damage/irritation
 - Not classified

Based on available data, the classification criteria are not met d) respiratory or skin sensitisation

- The product is classified: Skin Sens. 1 H317
- e) germ cell mutagenicity

ALPHA FLUSH/6.0

Page n. 6 of 11



Not classified

Based on available data, the classification criteria are not met f) carcinogenicity

The product is classified: Carc. 2 H351

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

The product is classified: Asp. Tox. 1 H304

Adverse health effects

The product must be handled carefully because of its possible carcinogenic effects. But there is not available enough information to proceed with a full assessment. Acute effects: contact with skin may cause irritation, erythema, edema, dryness and chapped skin. Ingestion may cause health disorders, including stomach pain and sting, nausea and vomiting.

Upon contact with skin causes sensitization (dermatitis). Dermatitis derives as a result of an inflammation of the skin, which begins in the skin areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include erythema, edema, papules, vesicles, pustules, scales, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. In the acute phase prevail erythema, edema and exudation. In chronic phase prevail scaly, dryness, ulcerations and skin thickening.

Toxicological information of the main substances found in the product:

Hydrocarbons C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics - Index number: 649-327-00-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5.000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5.000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 4.951 mg/m3

tetrachloroethylene - CAS: 127-18-4

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 4000 ppm - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat 250 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 6384 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: Eyes Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin Positive

11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ALPHA FLUSH/6.0 Page n. 7 of 11



The product is classified: Aquatic Chronic 3 - H412
Hydrocarbons C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 1.000 mg/L - Duration h: 96 - Notes: Oncorhynchus
mykiss
Endpoint: EC50 - Species: Daphnia > 1.000 mg/L - Duration h: 48 - Notes: Daphnia
magna
Endpoint: EC50 - Species: Algae > 1.000 mg/L - Duration h: 72 - Notes:
Pseudokirchneriella subcapitata
tetrachloroethylene
a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Daphnia 18 mg/L - Duration h: 48 - Notes: Daphnia magna
12.2. Persistence and degradability
N.A.
12.3. Bioaccumulative potential
tetrachloroethylene - CAS: 127-18-4
Bioaccumulation: Very low bioaccumulative - Test: Kow - Partition coefficient 2.53
Bioaccumulation: Very low bioaccumulative - Test: BCF - Bioconcentrantion factor 49
12.4. Mobility in soil
tetrachloroethylene - CAS: 127-18-4
Test: Partition coefficient: Soil / water 2.15
12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration $>= 0.1\%$
12.7. Other adverse effects
None

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

- Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user N.A.
 - N.A. 7 Manitina a tu
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH)

ALPHA FLUSH/6.0

Page n. 8 of 11



Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restrictions related to the substances contained: Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

- EUH066 Repeated exposure may cause skin dryness or cracking.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1



Carc. 2	3.6/2	Carcinogenicity, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Sens. 1, H317	Calculation method
Carc. 2, H351	Calculation method
Asp. Tox. 1, H304	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods

ALPHA FLUSH/6.0 Page n. 10 of 11



	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.