

Safety Data Sheet

BETTER ACID COND CLEANER



Safety Data Sheet dated 6/7/2022, version 8.0
This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: BETTER ACID COND CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Condenser deoxidiser

1.3. Details of the supplier of the safety data sheet

Company:

ERRECOM SPA

Via Industriale, 14

Corzano (BS) Italy

Tel. +39 030/9719096

Competent person responsible for the safety data sheet:

lab@errecom.it


1.4. Emergency telephone number


+39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

 Warning, Skin Irrit. 2, Causes skin irritation.

 Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special Provisions:

None

Contains

Alcohols, C12-15, branched and linear, ethoxylated hydrochloric acid

Safety Data Sheet

BETTER ACID COND CLEANER



Special provisions according to Annex XVII of REACH and subsequent amendments:
None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 2.5\%$ - < 5%	Alcohols, C12-15, branched and linear, ethoxylated	CAS: 106232-83-1	3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 4.1/C3 Aquatic Chronic 3 H412
$\geq 1\%$ - < 2.5%	hydrochloric acid	Index number: 017-002-01-X CAS: 7647-01-0 EC: 231-595-7 REACH No.: 01-21194848 62-27-XXXX	2.16/1 Met. Corr. 1 H290 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318 3.8/3 STOT SE 3 H335
$\geq 0.5\%$ - < 1%	ammonium bifluoride	Index number: 009-009-00-4 CAS: 1341-49-7 EC: 215-676-4 REACH No.: 01-21194891 80-38-XXXX	3.1/3/Oral Acute Tox. 3 H301 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C $\geq 1\%$: Skin Corr. 1B H314 0,1% \leq C < 1%: Skin Irrit. 2 H315 0,1% \leq C < 1%: Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

After contact with skin, wash immediately with plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

BETTER ACID COND CLEANER



In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from direct sunlight.

Store the product between + 0 °C / + 32 °F and + 40 °C / + 104 °F.

Keep in a dry and well ventilated place.

Safety Data Sheet

BETTER ACID COND CLEANER



Keep away from food, drink and feed.

Incompatible materials:

See subsection 10.5

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Information not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrochloric acid - CAS: 7647-01-0

EU - TWA(8h): 8 mg/m³, 5 ppm - STEL: 15 mg/m³, 10 ppm

ACGIH - STEL: Ceiling 2 ppm - Notes: A4 - URT irr

ammonium bifluoride - CAS: 1341-49-7

TLV TWA - 2,5 mg/m³

DNEL Exposure Limit Values

hydrochloric acid - CAS: 7647-01-0

Worker Professional: 15 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term (acute)

Worker Professional: 8 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term (repeated)

ammonium bifluoride - CAS: 1341-49-7

Worker Professional: 3.8 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Professional: 2.3 mg/m³ - Consumer: 0.045 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.015 mg/m³ - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 0.015 mg/m³ - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

hydrochloric acid - CAS: 7647-01-0

Target: Fresh Water - Value: 36 µg/L

Target: Aquatic, periodic release - Value: 45 µg/L

Target: Marine water - Value: 36 µg/L

Target: Microorganisms in sewage treatments - Value: 36 µg/L

ammonium bifluoride - CAS: 1341-49-7

Target: Fresh Water - Value: 1.3 mg/L

Target: Soil (agricultural) - Value: 22 mg/kg

Target: Microorganisms in sewage treatments - Value: 76 mg/L

8.2. Exposure controls

Eye protection:

Use close safety visors, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type:

work gloves resistant to penetration (ref. standard EN 374).

Suitable material:

NBR (nitrile rubber).

Material thickness: 0.4 mm minimum.

Break through time : > 480 min

Safety Data Sheet

BETTER ACID COND CLEANER



Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.
full face mask with combined filter type ABEK (EN 14387).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Yellow	--	--
Odour:	characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	2.3	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	total	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.0 g/mL (+20°C/+68°F)	ASTM-D4052	--
Relative vapour density:	N.A.	--	--

Particle characteristics:

Particle size:	N.A.	--	--
----------------	------	----	----

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

Safety Data Sheet

BETTER ACID COND CLEANER



- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
Bases, amines, alkali metals, permanganates.
- 10.6. Hazardous decomposition products
No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
The product is classified: Skin Irrit. 2 H315
- c) serious eye damage/irritation
The product is classified: Eye Dam. 1 H318
- d) respiratory or skin sensitisation
Not classified
Based on available data, the classification criteria are not met
- e) germ cell mutagenicity
Not classified
Based on available data, the classification criteria are not met
- f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
- g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
- h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
- j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met

Adverse health effects

In the absence of experimental toxicological data on the product itself, the potential risks of the product to health were evaluated based on the properties of substances, according to the criteria laid down by the relevant regulations for the classification. Consider, therefore, the concentration of each substance dangerous possibly mentioned in section 3, to assess the toxicological effects resulting from exposure to the product.

Toxicological information of the main substances found in the product:

Alcohols, C12-15, branched and linear, ethoxylated - CAS: 106232-83-1

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 300 mg/kg - Notes: 300-2000 mg/kg
- b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Positive
- c) serious eye damage/irritation:

Safety Data Sheet

BETTER ACID COND CLEANER



- Test: Eye Irritant - Route: Eyes - Species: Rabbit Negative
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin Negative
Test: Respiratory Sensitization - Route: Inhalation Negative
- hydrochloric acid - CAS: 7647-01-0
- a) acute toxicity:
Test: LC50 - Route: Inhalation = 45.6 mg/L - Duration: 5 min
Route: Inhalation - Species: Guinea pig Negative
- b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin - Species: RhE Positive - Source: OECD 431
- c) serious eye damage/irritation:
Test: Eye Corrosive - Route: Skin - Species: bovine cornea Positive - Source: OECD 437
- e) germ cell mutagenicity:
Test: Mutagenesis - Species: Chinese hamster ovary cells - Notes: Contradictory results were observed in different studies.
- ammonium bifluoride - CAS: 1341-49-7
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 130 mg/kg - Source: OECD Test Guideline 401
- b) skin corrosion/irritation:
Test: Skin Corrosive Positive
- c) serious eye damage/irritation:
Test: Eye Irritant Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization Negative
Test: Respiratory Sensitization Negative
- e) germ cell mutagenicity:
Test: Mutagenesis - Species: Salmonella Typhimurium Negative - Source: OECD Test Guideline 471
Test: Mutagenesis - Species: mammalian cells Positive - Source: OECD Test Guideline 476
- f) carcinogenicity:
Test: Carcinogenicity Negative
- g) reproductive toxicity:
Test: Reproductive Toxicity Negative

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Alcohols, C12-15, branched and linear, ethoxylated

a) Aquatic acute toxicity:

Endpoint: NOEC - Species: Fish > 0.1 mg/L - Notes: $>0.1-1$ mg/L CESIO

Endpoint: NOEC - Species: Daphnia > 0.1 mg/L - Notes: $>0.1-1$ mg/L CESIO

Endpoint: NOEC - Species: Algae > 0.1 mg/L - Notes: $>0.1-1$ mg/L CESIO

hydrochloric acid

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 282 mg/L - Duration h: 96 - Notes: Gambusia affinis

Safety Data Sheet

BETTER ACID COND CLEANER



- Endpoint: EC50 - Species: Daphnia 4.92 pH - Duration h: 72 - Notes: Species: Daphnia magna
Endpoint: EC50 - Species: Algae 4.7 pH - Duration h: 72 - Notes: Species: Chlorella vulgaris
- ammonium bifluoride
- a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish > 100 mg/L
 - Endpoint: EC50 - Species: Daphnia > 100 mg/L
 - Endpoint: EC50 - Species: Algae > 100 mg/L
 - b) Aquatic chronic toxicity:
 - Species: Algae > 1 mg/L
 - Species: Fish > 1 mg/L
 - Species: Daphnia > 1 mg/L
- 12.2. Persistence and degradability
Alcohols, C12-15, branched and linear, ethoxylated - CAS: 106232-83-1
Biodegradability: Readily biodegradable - Test: OECD 301 F - %: 70
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration \geq 0.1%
- 12.7. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
- | | |
|------------------------------|----|
| ADR-Environmental Pollutant: | No |
| IMDG-Marine pollutant: | No |
- 14.6. Special precautions for user
N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet

BETTER ACID COND CLEANER



Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H301 Toxic if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
----------------------------------	------	-------------

Safety Data Sheet

BETTER ACID COND CLEANER



Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- IMDG: International Maritime Code for Dangerous Goods.
- INCI: International Nomenclature of Cosmetic Ingredients.
- KSt: Explosion coefficient.

Safety Data Sheet

BETTER ACID COND CLEANER



LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.