



GOBI II

Item Number 3004045

The Gobi II condensate pump is designed for systems from 6 000 BTU/h (1.75kW) up to 120 000 BTU/h (35kW). The digital water sensor, the universal voltage range and the individually configurable flow rate are features that help make the Gobi II the most powerful and quietest air conditioning condensate pump on the market today.

- Universal use due to wide range of applications
- Guarantee period starts only after commissioning (readable via USB)
- 42 liters pumping capacity per hour
- 20 meters delivery height
- <19 dB Noise level
- No float problems thanks to digital sensor
- Control of the pumping capacity according to requirements
- Spare parts available

Technical Data

Colour	signal white (RAL 9003)
Standards	EN 60335-1, EN 60335-2-41, UL778 CSA C22.2 #68
RoHS Conformity	1
RoHS Conformity	Yes
Type	Diaphragm type
Operating Temperature Range	3 - 40 °C
Storage Temperature Range	-20°C - 50°C
Water Temperature Range	5 - 25 °C
Voltage	100 - 240 VAC

Acknowledged globally



Frequency	50 / 60 Hz
Protection Class	II
Ingression Protection	IP44
Energy Consumption	12 kW
Cable Length	1.5 m
Max. Flow Capacity	42 l/h
Max. Suction Head	3 m
Max. Delivery Head	20 m
Noise Level	19 dB(A)
Alarm Relay	Interchangeable NO or NC, rated 250VAC, 10A or 28VDC, 10A
Tube Diameter	6 mm
Packaging	Blister
Scope of Supply	Power cable, Alarm cable, Star tube and anti-siphon device, Screws (for mounting), Screw anchors, Factory-installed alarm fuse, Cable ties, Instruction manual

Accessories

4679160	PVC-TUBE	Plastic tube 6 mm, 30 meters, 1/4"
4678546	AQUASWITCH-24	Electronic water switch 24 V AC/DC
4678597	IN-LINE FILTER	Filter for condensate water
4678741	AQUASWITCH	Electronic water switch, 95-254V

Spare Parts

3004050	FUS-4050/10	Spare fuse, 10 pieces
3004065	HSG-4065/4	Siphon Device, 4 pieces
3004064	FIL-4064/4	Spare filter for GOBI II, 4 pieces

Acknowledged globally



3004087

KIT-4087

Star tube with Siphon device
